






DSR 6 Premium Edition / Plus


DSR 10 Premium Edition / Plus

Capacity	6 kW	9 kW
Gas Consumption	NG 0,57m³/h / LPG 0,42kg/h	NG 0,86m³/h / LPG 0,63 kg/h
Dimensions	270h / 780L / 225w	270h / 960L / 225w
Weight	Net 13,35kg / Gross 14,75kg	Net 15,50kg / Gross 17,15kg
Operating Pressure	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Heating Area	min 9m² / avg 15m² / max 20m²	min 12m² / avg 20m² / max 30m²
Stage	Standard 2 / Plus 5	Standard 2 / Plus 5
Ceramic Plate	4 pcs	6 pcs
Electrical Connection	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15
Gas Connection	G 3/4"	G 3/4"
Installation On Height	180 - 300cm	185 - 350cm
Parcel Dimensions	300h / 820L / 300w	300h / 1010L / 300w







DSR 12 PREMIUM



DSR 18 PREMIUM
DSR 25 PREMIUM

	DSR 12 Premium Edition / Plus	DSR 18 Premium Edition / Plus	DSR 25 Premium Edition / Plus
Capacity	12 kW	18 kW	25 kW
Gas Consumption	NG 1,14m³/h / LPG 0,84kg/h	NG 1,71m³/h / LPG 1,27 kg/h	NG 2,38m³/h / LPG 1,76 kg/h
Dimensions	270h / 960L / 225w	270h / 1505L / 225w	270h / 1505L / 225w
Weight	Net 15,50kg / Gross 17,15kg	Net 30,55kg / Gross 33,1kg	Net 30,55kg / Gross 33,1kg
Operating Pressure	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Heating Area	min 18m² / avg 25m² / max 40m²	min 25m² / avg 30m² / max 50m²	min 30m² / avg 35m² / max 55m²
Stage	Standard 2 / Plus 5	Standard 2 / Plus 5	Standard 2 / Plus 5
Ceramic Plate	6 pcs	12 pcs	12 pcs
Electrical Connection	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15
Gas Connection	G ¾"	G ¾"	G ¾"
Installation On Height	190 - 350cm	210 - 450cm	220 - 450cm
Parcel Dimensions	300h / 1010L / 300w	300h / 1560L / 300w	300h / 1560L / 300w





DSR 6 LCD Edition / Plus



DSR 10 LCD Edition / Plus

Capacity	6 kW	9 kW
Gas Consumption	NG 0,57m ³ /h / LPG 0,42kg/h	NG 0,86m ³ /h / LPG 0,63 kg/h
Dimensions	270h / 780L / 225w	270h / 960L / 225w
Weight	Net 16,40kg / Gross 17,8kg	Net 18,80kg / Gross 20,45kg
Operating Pressure	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Heating Area	min 7,65m ² / avg 12,75m ² / max 17m ²	min 11,8m ² / avg 17m ² / max 25,5m ²
Stage	Standard 2 / Plus 5	Standard 2 / Plus 5
Ceramic Plate	4 pcs	6 pcs
Electrical Connection	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15
Gas Connection	G 3/4"	G 3/4"
Installation On Height	180 - 300cm	185 - 350cm
Parcel Dimensions	300h / 820L / 300w	300h / 1010L / 300w








	DSR 12 LCD Edition / Plus	DSR 18 LCD Edition / Plus	DSR 25 LCD Edition / Plus
Capacity	12 kW	18 kW	25 kW
Gas Consumption	NG 1,14m³/h / LPG 0,84kg/h	NG 1,71m³/h / LPG 1,27 kg/h	NG 2,38m³/h / LPG 1,76 kg/h
Dimensions	270h / 960L / 225w	270h / 1505L / 225w	270h / 1505L / 225w
Weight	Net 18,80kg / Gross 20,45kg	Net 38,05kg / Gross 40,6kg	Net 38,05kg / Gross 40,6kg
Operating Pressure	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Heating Area	min 15,3m² / avg 21,25m² / max 34m²	min 21,25m² / avg 25,5m² / max 42,5m²	min 25,5m² / avg 30m² / max 46,5m²
Stage	Standard 2 / Plus 5	Standard 2 / Plus 5	Standard 2 / Plus 5
Ceramic Plate	6 pcs	12 pcs	12 pcs
Electrical Connection	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15
Gas Connection	G ¾"	G ¾"	G ¾"
Installation On Height	190 - 350cm	210 - 450cm	220 - 450cm
Parcel Dimensions	300h / 1010L / 300w	300h / 1560L / 300w	300h / 1560L / 300w



	DSR 25 Industrial Edition / Plus	DSR 30 Industrial Edition / Plus
Capacity	25 kW	30 kW
Gas Consumption	NG 2,38m³/h / LPG 1,76kg/h	NG 2,85m³/h / LPG 2,11 kg/h
Dimensions	515h / 1440L / 410w	515h / 1440L / 410w
Weight	Net 31,80kg / Gross 36,60kg	Net 31,80kg / Gross 36,60kg
Operating Pressure	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Heating Area	min 35m² / avg 40m² / max 60m²	min 40m² / avg 50m² / max 70m²
Stage	Standard 2 / Plus 5	Standard 2 / Plus 5
Ceramic Plate	12 pcs	12 pcs
Electrical Connection	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15
Gas Connection	G 3/4"	G 3/4"
Installation On Height	230-450cm	250 - 500cm
Parcel Dimensions	550h / 1470L / 450w	550h / 1470L / 450w








DSR 35-36 Industrial Edition / Plus

DSR 38-40 Industrial Edition / Plus

Capacity	35-35,5 kW	38-38,5 kW
Gas Consumption	NG 3,37m³/h / LPG 2,50kg/h	NG 3,61m³/h / LPG 2,67 kg/h
Dimensions	515h / 1440L / 410w	710h / 1440L / 410w
Weight	Net 31,80kg / Gross 36,60kg	Net 51,85kg / Gross 58,3kg
Operating Pressure	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Heating Area	min 45m² / avg 55m² / max 75m²	min 55m² / avg 65m² / max 90m²
Stage	Standard 2 / Plus 5	Standard 2 / Plus 5
Ceramic Plate	12 pcs	24 pcs
Electrical Connection	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15
Gas Connection	G ¾"	G ¾"
Installation On Height	270-550cm	300 - 900cm
Parcel Dimensions	550h / 1470L / 450w	730h / 1470L / 450w





	DSR 50 Industrial Edition / Plus	DSR 56 Industrial Edition / Plus
Capacity	48 kW	56 kW
Gas Consumption	NG 3,66m³/h / LPG 2,71 kg/h	NG 5,32m³/h / LPG 3,94 kg/h
Dimensions	710h / 1440L / 410w	710h / 1440L / 410w
Weight	Net 51,85kg / Gross 58,3kg	Net 51,85kg / Gross 58,3kg
Operating Pressure	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Heating Area	min 56m² / avg 67m² / max 94m²	min 80m² / avg 100m² / max 135m²
Stage	Standard 2 / Plus 5	Standard 2 / Plus 5
Ceramic Plate	24 pcs	24 pcs
Electrical Connection	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15
Gas Connection	G ¾"	G ¾"
Installation On Height	330 - 1000cm	350-1200cm
Parcel Dimensions	730h / 1470L / 450w	730h / 1470L / 450w

