

L 4200

Radium U 15
Radium U 20

L 7200-10200

Radium U 30
Radium U 35

	Radium U 15	Radium U 20	Radium U 30	Radium U 35
Moc nominalna	15 kW	20 kW	30 kW	35 kW
Zużycie gazu	NG 1,43m³/h / LPG 1,05kg/h	NG 1,90m³/h / LPG 1,41kg/h	NG 2,85m³/h / LPG 2,11 kg/h	NG 3,33m³/h / LPG 2,46 kg/h
Wymiary	250h / 4200L / 405w	250h / 4200L / 405w	250h / 7200-10200L / 405w	250h / 7200-10200L / 405w
Waga	Netto 65,00kg / Brutto 80,00kg	Netto 65,00kg / Brutto 80,00kg	Net 120-175kg / Gross 150-220kg	Netto 120-175kg / Brutto 150-220kg
Ciśnienie robocze	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Wysokość montażu	250-450cm	250-450cm	260-470cm	280-800cm
Zasilanie elektryczne	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15
Przylącze gazu	G ¾"	G ¾"	G ¾"	G ¾"

L 7200 - 10200

Radium U 40
Radium U 45

L 10200 - 13200

Radium U 50
Radium U 55

	Radium U 40	Radium U 45	Radium U 50	Radium U 55
Moc nominalna	40 kW	45 kW	50 kW	55 kW
Zużycie gazu	NG 3,80m³/h / LPG 2,81kg/h	NG 4,28m³/h / LPG 3,16kg/h	NG 4,75m³/h / LPG 3,52kg/h	NG 5,23m³/h / LPG 3,87kg/h
Wymiary	250h / 7200-10200L / 405w	250h / 7200-10200L / 405w	250h / 10200-13200L / 405w	250h / 10200-13200L / 405w
Waga	Netto 120-175kg / Brutto 150-220kg	Netto 120-175kg / Brutto 150-220kg	Netto 175-200kg / Brutto 220-240kg	Netto 175-200kg / Brutto 220-240kg
Ciśnienie robocze	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Wysokość montażu	300-900cm	320-1000cm	350-1200cm	400-1300cm
Zasilanie elektryczne	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15
Przylącze gazu	G ¾"	G ¾"	G ¾"	G ¾"

L 10200 - 13200



Radium U 60

L 16200



Radium U 71

Radium U 60

Radium U 71

Moc nominalna	60 kW	69,7 kW
Zużycie gazu	NG 5,70m ³ /h / LPG 4,22kg/h	NG 6,75m ³ /h / LPG 5,00kg/h
Wymiary	250h / 10200-13200L / 405w	250h / 16200L / 405w
Waga	Netto 175-200kg / Brutto 220-240kg	Netto 220kg / Brutto 260kg
Ciśnienie robocze	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Wysokość montażu	425-1350cm	450-1400cm
Zasilanie elektryczne	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15
Przylącze gazu	G 3/4"	G 3/4"





	Radium I 15	Radium I 20	Radium I 30
Moc nominalna	15 kW	20 kW	30 kW
Zużycie gazu	NG 1,43m³/h / LPG 1,05kg/h	NG 1,90m³/h / LPG 1,41kg/h	NG 2,85m³/h / LPG 2,11 kg/h
Wymiary	250h / 3900L / 260w	250h / 3900-6900L / 260w	250h / 6900-9900L / 260w
Waga	Netto 35kg / Brutto 45kg	Netto 35-60kg / Brutto 45-80kg	Netto 60-85kg / Brutto 80-105kg
Ciśnienie robocze	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Wysokość montażu	250-450cm	250-450cm	260-470cm
Zasilanie elektryczne	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15
Zużycie gazu	G ¾"	G ¾"	G ¾"

L 6900 - 9900 - 12900





Radium I 35

L 9900 - 12900 - 15900

Radium I 40
Radium I 45

	Radium I 35	Radium I 40	Radium I 45
Moc nominalna	35 kW	40 kW	45 kW
Zużycie gazu	NG 3,33m ³ /h / LPG 2,46 kg/h	NG 3,80m ³ /h / LPG 2,81kg/h	NG 4,28m ³ /h / LPG 3,16kg/h
Wymiary	250h / 6900-9900-12900L / 260w	250h / 9900-12900-15900L / 260w	250h / 9900-12900-15900L / 260w
Waga	Netto 60-85-110kg / Brutto 80-105-150kg Netto 85-110-135kg/ Brutto 105-150-185kg Net 85-110-135kg/ Gross 105-150-185kg		
Ciśnienie robocze	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Wysokość montażu	280-800cm	300-900cm	320-1000cm
Zasilanie elektryczne	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15
Przylącze gazu	G 3/4"	G 3/4"	G 3/4"

L 12900 - 15900

Radium I 50
Radium I 55

	Radium I 50	Radium I 55
Moc nominalna	50 kW	55 kW
Zużycie gazu	NG 4,75m³/h / LPG 3,52kg/h	NG 5,23m³/h / LPG 3,87kg/h
Wymiary	250h / 12900-15900L / 260w	250h / 12900-15900L / 260w
Waga	Netto 110-135kg / Brutto 150-185kg	Netto 110-135kg / Brutto 150-185kg
Ciśnienie robocze	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Wysokość montażu	350-1200cm	400-1300cm
Zasilanie elektryczne	230-240VAC 50-60Hz +/-%15	230-240VAC 50-60Hz +/-%15
Przyłącze gazu	G 3/4"	G 3/4"



L 15900 - 18900



Radium I 60

L 18900



Radium I 71

Radium I 60

Radium I 71

Moc nominalna	60 kW	69,7 kW
Zużycie gazu	NG 5,70m³/h / LPG 4,22kg/h	NG 6,75m³/h / LPG 5,00kg/h
Wymiary	250h / 15900-18900L / 260w	250h / 18900L / 260w
Waga	Netto 135-160kg / Brutto 185-230kg	Netto 160kg / Brutto 230kg
Ciśnienie robocze	21-55mbr NG / 32-55mbr LPG	21-55mbr NG / 32-55mbr LPG
Wysokość montażu	500-1300cm	450-1400cm
Zasilanie elektryczne	230-240VAC 50-60Hz +/-0%15	230-240VAC 50-60Hz +/-0%15
Przylącze gazu	G ¾"	G ¾"